



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 1 Control  
Lab Number: 130124-2619

Element	Results (µg/g)
Aluminum	138
Antimony	0.003
Arsenic	0.006
Beryllium	<detection limit
Bismuth	0.002
Cadmium	0.002
Copper	0.36
Lead	0.086
Mercury	<detection limit
Nickel	0.009
Platinum	<detection limit
Thallium	<detection limit
Thorium	<detection limit
Tin	0.012
Tungsten	<detection limit
Uranium	0.004

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

3755 Illinois Avenue, St. Charles, IL 60174-2420  
630.377.8139 - FAX: 630.587.7860 - inquiries@doctorsdata.com - www.doctorsdata.com



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 1  
Lab Number: U130122-2582

Element	Results (µg/g)
Aluminum	25
Antimony	0.011
Arsenic	0.008
Beryllium	<detection limit
Bismuth	0.009
Cadmium	0.011
Copper	1.1
Lead	0.23
Mercury	<detection limit
Nickel	0.073
Platinum	<detection limit
Thallium	<detection limit
Thorium	<detection limit
Tin	0.024
Tungsten	<detection limit
Uranium	0.006

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

3755 Illinois Avenue, St. Charles, IL 60174-2420  
630.377.8139 - FAX: 630.587.7860 - inquiries@doctorsdata.com - www.doctorsdata.com



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 2  
Lab Number: U130122-2583

Element	Results (µg/g)
Aluminum	27
Antimony	0.014
Arsenic	0.006
Beryllium	<detection limit
Bismuth	0.004
Cadmium	0.007
Copper	1.2
Lead	0.38
Mercury	0.001
Nickel	0.083
Platinum	<detection limit
Thallium	<detection limit
Thorium	<detection limit
Tin	0.015
Tungsten	<detection limit
Uranium	0.047

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 3  
Lab Number: U130122-2584

Element	Results (µg/g)
Aluminum	425
Antimony	0.009
Arsenic	0.016
Beryllium	0.003
Bismuth	0.33
Cadmium	0.011
Copper	1.0
Lead	0.34
Mercury	0.001
Nickel	0.13
Platinum	<detection limit
Thallium	<detection limit
Thorium	<detection limit
Tin	0.032
Tungsten	<detection limit
Uranium	0.019

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

3755 Illinois Avenue, St. Charles, IL 60174-2420  
630.377.8139 - FAX: 630.587.7860 - inquiries@doctorsdata.com - www.doctorsdata.com



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 4  
Lab Number: U130122-2585

Element	Results (µg/g)
Aluminum	223
Antimony	0.005
Arsenic	0.006
Beryllium	0.001
Bismuth	0.011
Cadmium	0.014
Copper	2.4
Lead	0.43
Mercury	<detection limit
Nickel	0.075
Platinum	<detection limit
Thallium	<detection limit
Thorium	<detection limit
Tin	0.011
Tungsten	<detection limit
Uranium	0.005

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

3755 Illinois Avenue, St. Charles, IL 60174-2420  
630.377.8139 - FAX: 630.587.7860 - inquiries@doctorsdata.com - www.doctorsdata.com



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 5  
Lab Number: U130122-2586

Element	Results (µg/g)
Aluminum	304
Antimony	0.010
Arsenic	0.089
Beryllium	0.006
Bismuth	0.10
Cadmium	0.15
Copper	11
Lead	1.5
Mercury	0.001
Nickel	0.15
Platinum	<detection limit
Thallium	<detection limit
Thorium	0.002
Tin	0.16
Tungsten	<detection limit
Uranium	0.044

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

3755 Illinois Avenue, St. Charles, IL 60174-2420  
630.377.8139 - FAX: 630.587.7860 - inquiries@doctorsdata.com - www.doctorsdata.com



FOR RESEARCH USE ONLY.  
NOT FOR USE IN DIAGNOSTIC PROCEDURES.

January 30, 2013

Sample: Sample 6  
Lab Number: U130122-2587

Element	Results (µg/g)
Aluminum	25
Antimony	0.007
Arsenic	0.006
Beryllium	<detection limit
Bismuth	0.003
Cadmium	0.018
Copper	0.60
Lead	0.34
Mercury	<detection limit
Nickel	0.12
Platinum	<detection limit
Thallium	<detection limit
Thorium	<detection limit
Tin	0.061
Tungsten	<detection limit
Uranium	0.025

Analysis performed by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

3755 Illinois Avenue, St. Charles, IL 60174-2420  
630.377.8139 - FAX: 630.587.7860 - inquiries@doctorsdata.com - www.doctorsdata.com